



# SPRAY TANK CLEANER AND DECONTAMINATOR

An advanced liquid formulation containing chelating agents, surfactants, detergents and sequestrants, that has been especially developed as a Spray Tank Cleaner for Australian conditions to remove a wide range of difficult-to-remove agricultural chemicals, deposits and oily residues from tanks, hoses, booms, mixing and transfer systems, nozzles, filters and screens.

TGAC Australia Pty Ltd  
 ACN 134 570 700  
 9 Heales Rd, Lara, Vic, 3212  
 Tel : 03 5274 2500  
 www.eurochem.com.au



## CONTENTS 5L

### DIRECTIONS FOR USE

SITUATION	USE RATE (DECOM in clean water)	COMMENTS
Cleaning and Decontaminating of Spray Equipment	250mL/100L	Use DECOM for the removal of residues and decontamination of spray equipment when switching from one herbicide to another, or from a herbicide to a fungicide, fertiliser or insecticide, and at the end-of-season sprayer cleanout.
Spray Tank Size	Use Per Tank Size	
500 L	1.25L	For tanks with unknown contents or cleaning history soak all internal surfaces, lines, filters, nozzles, etc. for at least 24 hours in DECOM solution at the label rate.  <b>NOTE:</b> For extra 'sticky' combinations (e.g. carfentrazone-ethyl/glyphosate, Valor®/glyphosate, etc) the cleaning solution should remain in contact with all internal surfaces of the spray equipment for at least 24 hours to increase product residue removal.
1,000 L	2.5L	
2,000 L	5L	
3,000 L	7.5L	
4,000 L	10L	
Nozzles, non-drip diaphragms, screens and filters	25mL/10L	Wash components separately in a bucket

### GENERAL INSTRUCTIONS

#### DECONTAMINATION PROCEDURE

*This procedure must be followed for all equipment used in the spraying process, including venturi style hoppers, pre-mix tanks, transfer systems, suction hoses, filters, tanks, tank lids, strainer baskets, booms, spray lines, nozzles, etc.*

1. Drain all spray equipment. Wash the outside of the spray equipment with a label rate solution of DECOM to remove any product contamination.
2. Rinse or pressure clean the inside of all equipment with at least 1/10 of tank capacity of clean water and drain.
3. Half fill the spray tank with clean water and add the total tank label rate of DECOM. Start agitation and flush all equipment for a few seconds, with boom-end valves open and/or bungs removed. Close boom-end valves and/or replace bungs, then stop flow to boom and completely fill tank with water. Allow to stand for at least 15 minutes (or 24 hours for certain combinations – See NOTE in Direction for Use Table) with the boom closed and agitation running, then flush all of the solution out of the spray tank via the boom, lines and nozzles.
4. Clean separately with a fresh solution of DECOM and water at the rate of 25mL in 10L all other components such as nozzles, non-drip diaphragms, screens and filters.
5. Do a final clean water rinse after following the DECOM cleaning process above.

### STORAGE AND DISPOSAL

Keep away from food, drink and animal feed stuffs. Keep out of reach of children. Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight.

### RINSATE DISPOSAL

Rinsate should be disposed of by spraying onto a crop approved for the product(s) being removed from the spray tank, or via an alternative approved method.

### SAFETY DIRECTIONS AND PRECAUTIONS FOR OPERATOR PROTECTION

Harmful if swallowed. Irritating to eyes and skin. Wear suitable gloves and eye/face protection. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. **Phone Australia 131126.**

### CONDITIONS OF SALE

TGAC Australia Pty Ltd and its agents and/or distributors including EuroChem Pty Ltd, shall not be liable for any consequential or other loss or damage relating to the supply or subsequent handling or use of this product, unless such liability by law cannot be lawfully excluded or limited. All warranties, conditions or rights implied by statute or other law which may be lawfully excluded are so excluded. Where the liability of TGAC Australia Pty Ltd for breach of any such statutory warranties and conditions cannot be lawfully excluded but may be limited to it re-supplying the product or an equivalent product or the cost of a product or an equivalent product, then the liability of TGAC Australia Pty Ltd for any breach of such statutory warranty or condition is so limited.