



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: EuroChem Domiclo 400 WP Fungicide

Other means of identification:

Not Applicable

Recommended use of

Agricultural fungicide for use as described on the product label

the chemical and restrictions on use:

Supplier: Eurochem Pty Ltd

Street address: 9 Heales Rd, Lara, VIC 3212

Telephone no.: +61 427 453 101 Fax: Not Available

Website: <u>www.eurochem.com.au</u>

Emergency telephone: Poisons Information Centre 13 11 26 (24 hours)

2. HAZARDS IDENTIFICATION

Classification of the substance mixture:

This material is classified as hazardous according to the classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition).

Classification of the substance or mixture:

Acute Toxicity (Oral) Category 4
Eye irritation Category 2A
Reproductive toxicity category 2

Hazardous to Aquatic Environment Chronic Category 2

SIGNAL WORD: WARNING

Hazard Statement(s):

H302 Harmful if swallowed.

H319 Causes serious eye irritation

H361 Suspected of damaging fertility or the unborn child H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention:

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.





P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P308+P313: If exposed or concerned: Get medical advice. P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P273 Avoid release to the environment

Storage:

P405: Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with national regulations.

PICTOGRAM:





3. **COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS Number	Proportion (w/w)
Myclobutanil	88671-89-0	400g/Kg
Other nonhazardous ingredients	Various	Balance

4. FIRST AID MEASURES

If poisoning occurs, contact a Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766 or a doctor. Have this SDS or the label with you.

Inhalation: Remove the victim to fresh air. Apply artificial respiration. Seek medical attention

immediately.

Skin contact: Remove contaminated clothing and wash with plenty of water and soap. If symptoms

develop, seek medical attention.

Eye contact: If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue

flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes. Seek medical advice. Take special care if exposed person is wearing contact

lenses.

Ingestion: If swallowed, wash mouth with water and contact a Poisons Information Centre or call a

doctor. Do not induce vomiting.

First aid facilities: Eyewash and normal washroom facilities.

Medical attention and special treatment needed: Treat Symptomatically

5. FIRE FIGHTING MEASURES

Suitable extinguishing

In case of fire, use carbon dioxide, dry chemical, foam, water fog. Do not use full water

j

Specific hazards arising from the


media:

Fire decomposition products from this product may be toxic if inhaled; do not inhale

gases/smoke. Take appropriate protective measures.

substance or mixture: Special protective equipment and

In case of fire and/or explosion do not breathe fumes. Cool containers at risk with water spray jet. If possible, remove containers from endangered area. Wear self-contained





precautions for firefighters: breathing apparatus and chemical-protective clothing. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately. Do not allow contaminated water to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/ Environmental precautions:

In the event of a spill, prevent spillage from entering drains or water courses with absorbent material and call emergency services.

Personal precautions/
Protective equipment:

Methods and materials for containment and cleaning up: Wear full protective clothing including eye/face protection. All skin areas should be covered. It is good practice to wear impermeable gloves when handling chemical products. Provide adequate ventilation. If there is a significant chance that vapours or mists are likely to build up in the clean-up area, we recommend that you use a respirator. Refer to protective equipment as described in Section 8 of this safety data sheet.

Refer to protective equipment as described in Section 8 of this safety data sheet. Contain - prevent run off into drains and waterways. Stop leak if safe to do so and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure adequate ventilation. Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Keep containers closed at all times - check regularly for leaks or spills. Transport and store upright. Refer to Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under 'Storage' should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Conditions for safe storage, including any incompatibilities:

Store packages of this product in a cool place. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition - No smoking. Keep in a cool, dry and well-ventilated place. Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Make sure that the product does not come into contact with substances listed under 'Incompatibilities' in Section 10. Check packaging - there may be further storage instructions on the label.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters: Appropriate engineering controls: No exposure controls are assigned to the product or ingredients by Safe Work Australia. Use in well ventilated areas. If natural ventilation is inadequate, use of a fan is suggested. Keep containers closed when not in use. Do not breathe vapours/aerosols. Use good personal hygiene practices-wash hands at breaks and when done working





with material. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes.

Individual protection measures, such as Personal Protective Equipment (PPE):

See container label safety directions. The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Observe good standards of hygiene and cleanliness. Always wash hands, arms and face thoroughly with soap and water before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment with detergent and warm water before storage or re-use.

Respiratory Respiratory protective equipment is not needed under normal and intended conditions protection:

of product use. However, if protection is required, Wear suitable protective breathing

mask (EN 136) with filter A2-P2 (EN 14387) and consult AS/NZS 1715 and AS/NZS 1716

for further information.

Eye and face Avoid contact with eyes. Eye and face protection is not needed under normal and protection:

intended conditions of product use, however safety glasses with side protection should be worn as a general precaution. If protection is required consult AS/NZS 1336 and AS/NZS 1337 for further information. Consult AS/NZS 1336 and AS/NZS 1337 for further

information. Safety glasses with side protection (EN 166)

Skin protection: Avoid contact with skin. Elbow-length rubber or chemical resistant gloves must be worn

> when opening the container and using the product. Always check with the glove manufacturer or your personal protective equipment supplier regarding the correct type

of glove to use. Consult AS/NZS 2161 for further information.

Trousers, long sleeved shirt /cotton overalls buttoned to the neck and wrist and closed in shoes or safety footwear should also be worn as a general precaution. Consult AS/NZS 2210 and AS/NZS 2919 for further information. People with high-risk exposure, chemical

suits (EN ISO 6530:2005) and boots may be required (EN ISO 20345:2012).

PHYSICAL AND CHEMICAL PROPERTIES 9.

Physical state: Powder Colour: Off-white Odour: Mild

:Ha Not determined Specific gravity: Not determined

Melting point/Freezing point: Myclobutanil melts at 63-68°C

Boiling point/range: Not determined Not determined Flash point: **Upper Flammability Limit:** Not determined **Lower Flammability Limit:** Not determined Not determined Evaporation point: Vapour pressure: Not determined Vapour density: Not determined Solubility: Wettable Partition coefficient: n- octanol/water Not determined

Auto-ignition temperature: Not determined **Decomposition temperature:** Not determined Viscosity: Not determined

STABILITY AND REACTIVITY 10.

Reactivity: This product is unlikely to react or decompose under normal storage

conditions. However, if you have any doubts, contact the supplier for

advice on shelf-life properties.

Chemical stability: Stable under normal ambient and anticipated storage and handling

conditions of temperature and pressure.

Safety Data Sheet: EuroChem Domiclo 400 WP Fungicide



Date of Issue: 29 May 2022

Possibility of hazardous reactions: The product is stable under recommended storage and handling

conditions

Conditions to avoid: Protect this product from light. Store in the closed original container in

a dry, cool, well-ventilated area out of direct sunlight.

Incompatible materials: None known.

Hazardous decomposition products: Under normal use conditions no hazardous decomposition products

are expected. In case of fire/explosion vapours dangerous for health

are spread.

11. **TOXICOLOGICAL INFORMATION**

Myclobutanil: LD50 Oral, Rat 1600-2290mg/kg LD50 Dermal, Rabbit = >5000mg/kg

ECOLOGICAL INFORMATION 12.

Ecotoxicity: Birds: LD50 bobwhite quail: 510mg/kg LD50 grey partridge: 1635mg/kg

Fish: LC50 (96hr) bluegill sunfish: 2.4mg/L LC50 rainbow trout: 4.2mg/L

Daphnia: LC50 (48hr) 11mg/L

Half-life of Myclobutanil in soil is 66 days. No degradation under anaerobic conditions

Persistence/Degradabi

Not readily biodegradable lity:

Bioaccumulative

No Data

potential:

Mobility in soil: No Data

13. **DISPOSAL CONSIDERATIONS**

Disposal methods:

Refer to Waste Management Authority. Dispose of contents/container in accordance with local/regional/national/international regulations. Break, crush or puncture and dispose of empty containers in a local authority landfill. Triple rinse and bury rinsate and empty capsules in a local authority landfill. If no landfill is available, bury the containers below 0.5m in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product must not be burnt. Do NOT re-use containers for any other purpose.

14. TRANSPORT INFORMATION

UN Number Not applicable **Shipping Name** Not applicable Not applicable Class **Packaging Group** Not applicable

15. REGULATORY INFORMATION

Poison schedule

(SUSMP):

S5

APVMA/TGA approval

66932

no.:

AICS: All the constituents of this material are either listed on the Australian Inventory of

Industrial Chemicals (Inventory), not required due to the nature of the chemical, or have

been assessed under the Industrial Chemicals Act 2019 as amended.

OTHER INFORMATION 16.

General information: None. Issue number: 001





Issue date: 29/05/2022

In any event, the review and, if necessary, the re-issue of an SDS shall be no longer than 5 years after the last date of issue.

Reason(s) for issue: New SDS

Literary reference: ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail (7th

edition)

APVMA – Agricultural Pesticides and Veterinary Medicines Australia

GHS - Globally Harmonised System of Classification and Labelling of Chemicals (3rd revised

edition) 2009

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice

STEL - Short term exposure limit means the average airborne concentration of a substance calculated over a 15-minute period. The STEL should not be exceeded at any

time during a normal eight hour working day.

SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons

SWA - Safe Work Australia, formerly ASCC and NOHSC

TWA - Time-weighted average means the average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

WHS - Workplace Health and Safety

The physical values and properties described in this SDS are typical values based on scientific literature and material produced to date, and are believed to be reliable. The supplier provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. The information is supplied upon the condition that the persons receiving information will make their own determination as to the suitability for their purposes prior to use of this product. Due care should be taken to ensure that the use of this product and its disposal is in compliance with all relevant Federal, State and Local Government regulations.

END SDS