POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



()

ACTIVE CONSTITUENT: 120 g/L DIDECYLDIMETHYL AMMONIUM CHLORIDE

A broad spectrum disinfectant for use in agriculture and horticulture as specified in the Directions for Use table.

IMPORTANT: READ THE DIRECTIONS BEFORE USE

TGAC Australia Pty Ltd ACN: 134 570 700 9 Heales Rd, Lara, VIC 3212 Ph 03 5274 2500 Fax 03 4206 7012 www.eurochem.com.au

CONTENTS 20 Litres





۲

۲

EuroChem SANITEX HORTICULTURAL DISINFECTANT

DIRECTIONS FOR USE

RESTRAINTS: Use on plant materials: SANITEX Horticultural Disinfectant

is not a single means of controlling infection. It is not intended to replace the use of fungicides. **SANITEX** is compatible with most fungicides and use should be incorporated into a normal spray program.

SITUATION	RATE	CRITICAL COMMENTS
General disinfection of - growing medium (inert or non-organic), equipment (such as pruning shears & ploughs), footbaths.	100mL/10L water (1% solution)	Keep wet with SANITEX solution for over 10 minutes for best results.
General disinfection of - cold rooms, packing sheds, tunnels, seedtrays and other hard surfaces.	100mL/100L water (0.1% solution)	First remove all organic matter from surfaces and keep wet with SANITEX solution for over 10 minutes for best results.
Disinfection of irrigation water (non-food crops only)	5-20mL/1000L water for continuous dosing	When dosing for the first few times, the dirt/algae/organic matter will be discharged and may clog your drippers, spitters or sprinklers. Therefore, rinse your irrigation pipes frequently. The cleaner the irrigation water to be treated the better the results. May be used in fertigated water. Do Not apply directly via fertiliser tank.
PLANT SANITATION: Carnations Chrysanthemums Cut Flowers	100mL/100L water	Growers are advised to check for varietal differences by first treating a small sample. Apply to foliage with first application after transplanting or 6 weeks after planting seed. Apply at 7 day intervals.
PLANT SANITATION: Roses in green/shade houses	50mL/100L water	Growers are advised to check for varietal differences by first treating a small sample. Apply to foliage at 10-14 day intervals.
Post-harvest treatment of Cut Flowers in containers	15mL/10L water	The stock solution may be used for up to 7-10 days if kept clean. Do not keep cut flowers in stock solution for longer than 48 hours.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: NIL

 $(\mathbf{\Phi})$

GENERAL INSTRUCTIONS

Effective against a range of fungi and bacteria pathogens. Stays active as long as it is in solution (does not oxidise). Under heavy agitation, foam may form and a defoaming agent (food grade) may be useful. A test kit is available to measure active **SANITEX** in water. **SANITEX** has wetting characteristics, so a wetting agent does not need to be added.

Application:

For foliar application as a plant sanitiser for flowers, good coverage is essential. Ensure that both upper and lower leaf surfaces are covered. Spray to runoff with standard spray application equipment.

Compatibility:

SANITEX may be used with fertigated water. **Do Not** apply directly via fertiliser tank. **SANITEX** is compatible with Liquicop® Copper Fungicide and a range of fungicides. Information can be obtained by contacting TGAC Australia Pty Ltd.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Triple rinse containers before disposal. Dispose of rinsate or any undiluted chemical according to state/ territory legislative requirements. Do not dispose of undiluted chemicals on-site. If recycling, replace cap & return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility in not available, bury empty containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre.

Phone 13 11 26, New Zealand 0800 764 766

If swallowed, DO NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

FIRST AID WARNINGS

Corrosive. May produce severe burns. Do not enter treated areas or handle the treated material until spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each days use.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the skin. Will damage the eyes. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container, mixing and loading, preparing and using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat chemical resistant gloves and goggles or safety glasses. If product on skin, immediately wash in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash goggles and contaminated clothing.

MATERIAL SAFETY DATA SHEET

For more information, refer to MSDS which is available from the supplier.

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY TGAC Australia Pty Ltd has no control over storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly and in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. TGAC Australia Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

BN:

DOM:

()

<u>کر ج</u>

APVMA Approval No.: 88875 / 122712